



JLP-025A-15, 1/4 TON MINI-PULLER, 15' LIFT

287102

JET® JLP-A Series lever hoists combine safety, reliability, and durability that are designed to perform in light to medium-duty industrial applications. The patented Brake Wear Indicator increases safety by letting you know when to replace the friction disks. JET® also offers the option of shipyard hooks, virtually eliminating stretched hooks caused by point or tip loading. The JET® JLP-A lever hoist is available in 1/4 ton to 6 ton capacities with standard lifts of 5, 10, 15, and 20 feet (custom lifts available). The JET® JLP-A Series is the perfect choice for a contractor grade lever hoist.



FEATURES

- All steel construction
- Cast Steel Safety Latches
- Cast steel safety latches are secured with Allen screws and lock nuts
- Compact Design- Smaller body and lightweight design for low headroom applications and use in confined areas
- Hooks slowly stretch to indicate an overload situation increasing jobsite safety
- Impact resistant all steel construction for added durability and protection
- Industrial rated alloy steel hooks rotate 360 degrees for easy rigging
- Load tested to 125% of capacity with certificate
- Needle bearing design increases efficiency and promotes smooth operation
- This product complies with ANSI / ASME B30.21 and HST-3 Impact resistant all steel construction for added durability and protection
- Weston Style, double pawl brake design splits the load to opposite sides of the ratchet gear for greater load security



JET RED ASSURANCE LIFETIME WARRANTY

JET warrants every product it sells. If one of our tools needs service or repair, one of our Authorized Service Centers located throughout the United States can give you quick service. In most cases, any of these JPW Industries Authorized Service Centers can authorize warranty repair, assist you in obtaining parts, or perform routine maintenance and major repair on your JET tools. For the name of an Authorized Service Center in your area call 1-800-274-6848.

STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE | INDUSTRY-LEADING WARRANTIES | EXPERT TECHNICAL SERVICE



JLP-025A-15, 1/4 TON MINI-PULLER, 15' LIFT

287102

SPECIFICATIONS

Capacity (Lbs.)	500
Load Capacity (Tons)	1/4
Lift (Ft.)	15
Overload Protection	No
Load Chain Dimensions dia/mm	4 x 12
Weight (Lbs.)	7



STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE | INDUSTRY-LEADING WARRANTIES | EXPERT TECHNICAL SERVICE



JLP-025A-15, 1/4 TON MINI-PULLER, 15' LIFT

287102

FULL SERIES

STOCK NO	MODEL NO	CAPACITY (LBS.)	LOAD CAPACITY (TONS)	LIFT (FT.)	OVERLOAD PROTECTION	FORCE REQUIRED TO MOVE MAXIMUM LOAD (LBS)
287101	JLP-025A-10	500	1/4	10	No	
287102	JLP-025A-15	500	1/4	15	No	
287100	JLP-025A-5	500	1/4	5	No	
287201	JLP-050A-10	1000	1/2	10	No	
287202	JLP-050A-15	1000	1/2	15	No	
287200	JLP-050A-5	1000	1/2	5	No	
287301	JLP-075A-10	1650	3/4	10	No	
287302	JLP-075A-15	1650	3/4	15	No	
287303	JLP-075A-20	1650	3/4	20	No	
287300	JLP-075A-5	1650	3/4	5	No	
287401	JLP-150A-10	3300	1-1/2	10	No	
287701	JLP-150A-10SH	3300	1-1/2	10	No	
287402	JLP-150A-15	3300	1-1/2	15	No	
287702	JLP-150A-15SH		1-1/2	15	No	
287403	JLP-150A-20	3300	1-1/2	20	No	
287703	JLP-150A-20SH	3300	1-1/2	20	No	
287400	JLP-150A-5	3300	1-1/2	5	No	
287700	JLP-150A-5SH	3300	1-1/2	5	No	
287501	JLP-300A-10	6600	3	10	No	
287801	JLP-300A-10SH	6600	3	10	No	
287502	JLP-300A-15	6600	3	15	No	
287802	JLP-300A-15SH	6600	3	15	No	

STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE | INDUSTRY-LEADING WARRANTIES | EXPERT TECHNICAL SERVICE

JLP-025A-15, 1/4 TON MINI-PULLER, 15' LIFT

287102

FULL SERIES

STOCK NO	MODEL NO	CAPACITY (LBS.)	LOAD CAPACITY (TONS)	LIFT (FT.)	OVERLOAD PROTECTION	FORCE REQUIRED TO MOVE MAXIMUM LOAD (LBS)
287803	JLP-300A-20SH	6600	3	20	No	
287500	JLP-300A-5	6600	3	5	No	
287800	JLP-300A-5SH	6600	3	5	No	
287601	JLP-600A-10	13200	6	10	No	
287602	JLP-600A-15	13200	6	15	No	
287603	JLP-600A-20	13200	6	20	No	
287600	JLP-600A-5	13200	6	5	No	

STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE | INDUSTRY-LEADING WARRANTIES | EXPERT TECHNICAL SERVICE