





S90-050-15, 1/2-TON HAND CHAIN HOIST WITH 15' LIFT

101901

JET® S90 Series hand chain hoists were designed with reliability and durability to perform in light-duty industrial applications. Easily maintained and serviced, the JET® S90 is available in capacities from ½ ton to 10 ton and standard lifts of 10, 15, 20, and 30 feet (custom lifts available). The JET® S90 is the ideal contractor grade hoist.

FEATURES

- All steel construction
- Grade 80 black oxide coated load chain for added durability
- Heat Treated Load Plates
- Impact resistant all steel construction for added durability and protection
- Industrial rated alloy steel hooks rotate 360 degrees for easy rigging
- Industrial rated alloy steel hooks rotate 360 degrees for easy rigging and slowly stretch to indicate an overload situation
- Intended for the harshest environments, the heat treated load plates and case hardened corrosive resistant internal parts extend the life of the hoist
- Load tested to 125% of capacity with certificate
- Needle bearings support the load sheave to increase efficiency and promote smooth operation
- NEW! Secured with Allen screws and lock nuts, the cast-steel safety latches are more durable than stamped steel latches and will not bend out of compliance with lifting regulations
- Secured with Allen screws and lock nuts, the cast-steel safety latches are more durable than stamped steel latches and will not bend out of compliance with lifting regulations
- The smaller body and lightweight design are ideal for confined areas and low headroom applications
- The Weston style double ratchet pawl brake design splits the load to opposite sides of the ratchet gear for greater load security and increased safety
- Weston style double ratchet pawl brake design splits the load to opposite sides of the ratchet gear for greater load security



JET RED ASSURANCE LIFETIME WARRANTY

JET warrants every product it sells. If one of our tools needs service or repair, one of our Authorized Service Centers located throughout the United States can give you quick service. In most cases, any of these JPW Industries Authorized Service Centers can authorize warranty repair, assist you in obtaining parts, or perform routine maintenance and major repair on your JET tools. For the name of an Authorized Service Center in your area call 1-800-274-6848.

STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE

INDUSTRY-LEADING WARRANTIES

EXPERT TECHNICAL SERVICE




S90-050-15, 1/2-TON HAND CHAIN HOIST WITH 15' LIFT

101901

SPECIFICATIONS

Capacity (Lbs.)	1100
Load Capacity (Tons)	1/2
Lift (Ft.)	15
Overload Protection	No
Load Chain Dimensions dia/mm)	5 x 15
Weight (Lbs.)	31



STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE | INDUSTRY-LEADING WARRANTIES | EXPERT TECHNICAL SERVICE



S90-050-15, 1/2-TON HAND CHAIN HOIST WITH 15' LIFT

101901

FULL SERIES

STOCK NO	MODEL NO	CAPACITY (LBS.)	LOAD CAPACITY (TONS)	LIFT (FT.)	OVERLOAD PROTECTION	FORCE REQUIRED TO MOVE MAXIMUM LOAD (LBS)
101900	S90-050-10	1100	1/2	10	No	
101901	S90-050-15	1100	1/2	15	No	
101902	S90-050-20	1100	1/2	20	No	
101903	S90-050-30	1100	1/2	30	No	
101960	S90-1000-10	22000	10	10	No	
101961	S90-1000-15	22000	10	15	No	
101962	S90-1000-20	22000	10	20	No	
101963	S90-1000-30	22000	10	30	No	
101910	S90-100-10	2200	1	10	No	
101911	S90-100-15	2200	1	15	No	
101912	S90-100-20	2200	1	20	No	
101913	S90-100-30	2200	1	30	No	
101920	S90-150-10	3300	1-1/2	10	No	
101921	S90-150-15	3300	1-1/2	15	No	
101922	S90-150-20	3300	1-1/2	20	No	
101923	S90-150-30	3300	1-1/2	30	No	
101930	S90-200-10	4400	2	10	No	
101931	S90-200-15	4400	2	15	No	
101932	S90-200-20	4400	2	20	No	
101933	S90-200-30	4400	2	30	No	
101940	S90-300-10	6600	3	10	No	
101941	S90-300-15	6600	3	15	No	

STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE | INDUSTRY-LEADING WARRANTIES | EXPERT TECHNICAL SERVICE

S90-050-15, 1/2-TON HAND CHAIN HOIST WITH 15' LIFT

101901

FULL SERIES

STOCK NO	MODEL NO	CAPACITY (LBS.)	LOAD CAPACITY (TONS)	LIFT (FT.)	OVERLOAD PROTECTION	FORCE REQUIRED TO MOVE MAXIMUM LOAD (LBS)
101943	S90-300-30	6600	3	30	No	
101950	S90-500-10	11000	5	10	No	
101951	S90-500-15	11000	5	15	No	
101952	S90-500-20	11000	5	20	No	
101953	S90-500-30	11000	5	30	No	

STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE | INDUSTRY-LEADING WARRANTIES | EXPERT TECHNICAL SERVICE