




JSH-275-10 1/8-TON ELECTRIC CHAIN HOIST 1- PHASE 10' LIFT

110100

JET® JSH Series electric hoists combines safety, durability and portability to operate in light duty commercial and industrial applications. The die cast Aluminum housing keeps the hoist lightweight and easily portable. All models incorporate a slip clutch overload protection mechanism that prevents the hoist from lifting damaging loads above its rated capacity. They have a built-in thermal overload protection system that keeps the hoist from overheating. The industry proven magnetic disk brake increases safety by ensuring rapid stops and securing the load. The maintenance-free gear train incorporates a sealed oil bath, eliminating maintenance. The JET® JSH Series electric hoist is available in 1/8 ton and 1/4 ton capacities with standard lifts of 10, 15, and 20 feet (custom lifts available).

FEATURES

- Aluminum Alloy Housing
- Aluminum Housing- Aluminum alloy housing decreases the weight for convenient transportation
- Certification- Load tested to 125% of capacity with certificate
- Grade 80 Load Chain- Grade 80 black oxide coated load chain for durability
- Heat Treated Gears- Heat treated alloy steel geared drive train for long lasting durability
- JET VOLT and SSC Series Electric Hoists and JET ET Series Electric Trolleys are NOT rated or designed for outdoor use or wet environments
- Limit Switches- Upper and lower limiting switches increase safety by preventing the load chain from over traveling
- Load tested to 125% of capacity with certificate
- Magnetic Disk Brake- An Industry proven safety feature that ensures rapid stops and securing of the load
- Overload Protection- Slip Clutch design prevents the hoist from lifting damaging loads above its rated capacity
- Sealed Gear Train- Maintenance-free gear train incorporates a sealed design that eliminates upkeep
- Thermal overload protection



JET RED ASSURANCE 2-YEAR WARRANTY

JET warrants every product it sells. If one of our tools needs service or repair, one of our Authorized Service Centers located throughout the United States can give you quick service. In most cases, any of these JPW Industries Authorized Service Centers can authorize warranty repair, assist you in obtaining parts, or perform routine maintenance and major repair on your JET tools. For the name of an Authorized Service Center in your area call 1-800-274-6848.

STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE

INDUSTRY-LEADING WARRANTIES

EXPERT TECHNICAL SERVICE



JSH-275-10 1/8-TON ELECTRIC CHAIN HOIST 1- PHASE 10' LIFT

110100

SPECIFICATIONS

Capacity (Lbs.)	250
Load Capacity (Tons)	1/8
Lift (Ft.)	10
Overload Protection	Yes
Load Chain Dimensions dia/mm	4 x 12
Duty Cycle Rating	H3
Duty Cycle (%)	25
Max. On Time (Min. / Hr.)	15
Weight (Lbs.)	30.6
Max. Number of Starts (Per Hr.)	150
Lifting Speed (FPM)	16
Motor (HP)	1/6 HP, 115V, 1 Ph
Motor Phase	1
Motor Voltage (V.)	115



STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE | INDUSTRY-LEADING WARRANTIES | EXPERT TECHNICAL SERVICE



JSH-275-10 1/8-TON ELECTRIC CHAIN HOIST 1- PHASE 10' LIFT

110100

FULL SERIES

STOCK NO	MODEL NO	CAPACITY (LBS.)	LOAD CAPACITY (TONS)	LIFT (FT.)	OVERLOAD PROTECTION	LOAD CHAIN DIMENSIONS DIA/MM
110100	JSH-275-10	250	1/8	10	Yes	4 x 12
110115	JSH-275-15	250	1/8	15	Yes	4 x 12
110120	JSH-275-20	250	1/8	20	Yes	4 x 12
110110	JSH-550-10	500	1/4	10	Yes	4 x 12
110515	JSH-550-15	500	1/4	15	Yes	4 x 12
110520	JSH-550-20	500	1/4	20	Yes	4 x 12

STAND BEHIND YOUR WORK

550+ SERVICE CENTERS NATIONWIDE | INDUSTRY-LEADING WARRANTIES | EXPERT TECHNICAL SERVICE